

# INDEX TO VOLUME XXXIX<sup>1</sup>

## INDEX TO AUTHORS AND TITLES

- Anderson, Kermit W. and Skinner, Charles E.** Yeasts in decomposing fleshy fungi 165-170
- Anonymous.** Prevention of Deterioration Abstracts 743-744
- Antikajian, Grace.** *Rhizophydium chitinophilum* 612-616, 20 figures
- Barnett, Horace L. and Lilly, Virgil Greene.** The relation of thiamin to the production of perithecia by *Ceratostomella fimbriata* 699-708
- Campbell, William Andrew.** A new species of *Coniothyrium* parasitic on sclerotia 190-195, 1 figure
- Carvajal, Fernando.** Screening tests for antibiotics 128-130; The production of spores in submerged cultures by some *Streptomyces* 426-440, 7 figures
- Cook, Melville Thurston.** Species of *Synchytrium* in Louisiana IV. Two new species of *Synchytrium* 351-357, 4 figures
- Crandall, Bowen S.** A new *Phytophthora* causing root and collar rot of cinchona in Peru 218-223
- Critopoulos, P. D.** Production of teliospores and uredospores of *Puccinia graminis* on *Berberis cretica* in nature 145-151, 1 figure
- Cummins, George Baker.** Some problems in mycological taxonomy 627-634
- Davidson, Ross Wallace, Lombard, Frances F., and Hirt, Ray R.** Fungi causing decay in wooden boats 313-327, 4 figures
- and **Mielke, James L.** *Fomes robustus*, a heart-rot fungus on cacti and other desert plants 210-217, 3 figures
- Dowding, Eleanor Silver.** *Haplosporangium* in Canadian rodents 372-373
- Downing, Mary H. (with White, W. Lawrence).** The identity of "*Metarrhizium glutinosum*" 546-555, 2 figures
- Drechsler, Charles.** A nematode-strangling *Dactylella* with broad quadrisepate conidia 5-20, 2 figures; Three zoöpagaceous fungi that capture and consume soil-inhabiting rhizopods 253-281, 8 figures; Three new species of *Zoöpage* predaceous on terricolous rhizopods 379-408, 7 figures
- Dulaney, Eugene L.** Some aspects of Penicillin production by *Aspergillus nidulans* 570-581; Penicillin production by the *Aspergillus nidulans* group 582-586
- Fay, Dolores J.** *Chytriumyces spinosus* nov. sp. 152-157, 39 figures
- Georg, Lucille K.** A simple and rapid method for obtaining monospore cultures of fungi 368-371, 2 figures

<sup>1</sup> This index prepared by Aurèle La Rocque.

- Gilkey, Helen M.** New or otherwise noteworthy species of Tuberales 441-452, 17 figures
- Gray, W. D. and Martin, George Willard.** Improvements on the soil burial testing method 358-367, 5 figures; The growth of fungi on asphalt-treated paper 587-601, 7 figures
- Groves, James Walton.** *Pezicula Morthieri* on *Rhamnus* 328-333, 3 figures
- Hahn, Glenn Gardner.** Analysis of Peck's types of *Meliola balsamicola* and *Asterina nuda* 479-490, 2 figures; A new combination for *Brunchorstia gibbosa* 494-495
- Hansen, Hans Nicholas (with Hwang, Shuh-Wei and Snyder, William Cowperthwaite).** Increased perithecium formation and hybridization in flooded cultures of a homothallic ascomycete 196-199, 1 figure
- Hazen, Elizabeth L.** *Microsporum audouini*: the effect of yeast extract, thiamine, pyridoxine, and *Bacillus weidmaniensis* on the colony characteristics and macroconidial formation 200-209, 4 figures
- Hesseltine, Clifford W.** Viability of some mold cultures 126-128
- Hirt, Ray R. (with Davidson, Ross Wallace, and Lombard, Francis F.).** Fungi causing decay in wooden boats 313-327, 4 figures
- Hwang, Shuh-Wei, Hansen, Hans Nicholas, and Snyder, William Cowperthwaite.** Increased perithecium formation and hybridization in flooded cultures of a homothallic ascomycete 196-199, 1 figure
- Jackson, Herbert Spencer.** *Trichomonascus*, a new genus among simple Ascomycetes 709-715, 20 figures
- Johnson, Aaron G. (with Sprague, Roderick).** *Selenophoma* on grasses, III. 737-742
- Jones, Richard Chapin.** The Feulgen reaction as a cytological technique with *Allomyces arbusculus* 109-112
- Kanouse, Bessie Bernice.** The Polyporaceae of New York State (The genus *Poria*). (Review) 250; A survey of the Discomycete flora of the Olympic National Park and adjacent areas 635-689, 35 figures
- Karling, John Sidney.** Brazilian Chytrids. X. New species with sunken opercula 56-70, 56 figures; *Lagenidium humanum*, a saprophyte isolated on dead human skin 224-230, 39 figures
- Kern, Frank Dunn, and West, Erdman.** Another Gymnosporangial connection 120-125, 3 figures
- Korf, Richard Paul.** *Seaverinia Geranii* 743
- Lilly, Virgil Greene (with Barnett, Horace L.).** The relation of thiamin to the production of perithecia by *Ceratostomella fimbriata* 699-708
- Lombard, Francis F. (with Davidson, Ross Wallace, and Hirt, Ray R.).** Fungi causing decay in wooden boats 313-327, 4 figures
- Mains, Edwin B.** New and interesting species of *Cordyceps* 535-545, 3 figures
- Marshall, Rush Porter (with Waterman, Alma May).** A new species of *Cristulariella* associated with a leaf spot of maple 690-698, 2 figures

- Martin, George Willard.** Taxonomic notes on Myxomycetes. II. 453-462
- (with **Gray, W. D.**). Improvements on the soil burial testing method 358-367, 5 figures; The growth of fungi on asphalt-treated paper 587-601, 7 figures
- Mielke, James L.** (with **Davidson, Ross Wallace**). *Fomes robustus*, a heart-rot fungus on cacti and other desert plants 210-217, 3 figures
- Mix, A. J.** *Taphrina Osmundae* Nishida and *Taphrina Higginsii* sp. nov. 71-76, 1 figure
- Morgan, Thomas L.** (with **Page, Robert M.**, and **Sherf, Arden F.**). The effect of temperature and relative humidity on the longevity of the conidia of *Helminthosporium oryzae* 158-164, 1 figure
- Morse, Elizabeth Eaton** (with **Smith, Alexander Hanchett**). The genus *Cantharellus* in the Western United States 497-534, 13 figures
- Murrill, William Alphonso.** New Combinations 132; *Fomes fraxineus* in Florida 251; Red Fly-Agaric in Florida 251
- Olive, Lindsay Shepherd.** Notes on the Tremellales of Georgia 90-108, 16 figures; Cytology of the teliospores, basidia, and basidiospores of *Sphenospora kevorikianii* Linder 409-425, 4 figures
- Page, Robert M., Sherf, Arden F., and Morgan, Thomas L.** The effect of temperature and relative humidity on the longevity of the conidia of *Helminthosporium oryzae* 158-164, 1 figure
- Pearson, A. A.** Jakob E. Lange 1-4, portrait
- Pollack, Flora G.** Two additions to the Fungi Imperfecti 617-621, 1 figure
- Rogers, Donald Philip.** A new gymnocarpous heterobasidiomycete with gasteromycetous basidia 556-564, 1 figure
- Rusden, Philip L.** David Hunt Linder. September 24, 1899-November 10, 1946 133-144, portrait
- Seaver, Fred Jay.** Photographs and descriptions of cup-fungi—XLIII. *Seaverinia* 113-119, 1 figure; Studies in Science. (Review) 131; Mycologia, Financial Statement 772
- Sherf, Arden F.** (with **Page, Robert M.**, and **Morgan, Thomas L.**). The effect of temperature and relative humidity on the longevity of the conidia of *Helminthosporium oryzae* 158-164, 1 figure
- Singer, Rolf.** New genera of fungi. III. 77-89; Type studies on Basidiomycetes III. 171-189
- and **Smith, Alexander Hanchett.** Additional notes on the genus *Leucopaxillus* 725-736, 3 figures
- Skinner, Charles E.** (with **Anderson, Kermit W.**). Yeasts in decomposing fleshy fungi 165-170
- Smith, Alexander Hanchett.** 'Specimens Wanted' 251; Books and World Recovery 493-494
- and **Morse, Elizabeth Eaton.** The genus *Cantharellus* in the Western United States 497-534, 13 figures
- and **Walters, Maurice B.** Notes on the genus *Armillaria* 622-625, 1 figure

- (with Singer, Rolf). Additional notes on the genus *Leucopaxillus* 725-736, 3 figures
- Snyder, William Cowperthwaite (with Hwang, Shuh-Wei, and Hansen, Hans Nicholas). Increased peritheciium formation and hybridization in flooded cultures of a homothallic ascomycete 196-199, 1 figure
- Sparrow, Frederick Kroeber, Jr. Mycological Society of America. Directory 745-770; Financial Statement 771
- Sprague, Roderick. An undescribed species of *Sporotrichum* on *Agropyron* 349-350, 1 figure
- and Johnson, Aaron G. *Selenophoma* on grasses, III. 737-742
- Stevenson, John Albert. Lohwag's Anatomie der Asco- und Basidiomyceten. (Review) 249-250; George Grant Hedcock 131-132; Mycological Society of America. Report of the 1946 Foray 491-493, 1 figure
- Stuntz, Daniel Elliot. Studies in the genus *Inocybe*. I. New and noteworthy species from Washington 21-55, 50 figures
- Thirumalachar, Mandayam Jeersannidhi. Some noteworthy rusts—II. 231-248, 18 figures; Brief notes on the genera *Stereostroma* Magn. and *Anthomycetella* Syd. 334-340, 7 figures; Species of the genera *Doassansia*, *Doassansiopsis*, and *Burrillia* in India 602-611, 9 figures
- Vanterpool, Thomas Clifford. *Selenophoma linicola* sp. nov. on flax in Saskatchewan 341-348, 10 figures
- Waksman, Selman A. What is an antibiotic or an antibiotic substance? 565-569
- Walters, Maurice B. (with Smith, Alexander Hanchett). Notes on the genus *Armillaria* 622-625, 1 figure
- Waterman, Alma May, and Marshall, Rush Porter. A new species of *Cristulariella* associated with a leaf spot of maple 690-698, 2 figures
- Wehmeyer, Lewis Edgar. Studies on some fungi from northwestern Wyoming. IV. Miscellaneous 463-478, 2 figures
- West, Erdman (with Kern, Frank Dunn). Another Gymnosporangial connection 120-125, 3 figures
- White, W. Lawrence, and Downing, Mary H. The identity of "*Metarhizium glutinosum*" 546-555, 2 figures
- Wilhelm, Stephen. The dual phenomenon in the dermatophytes 716-724, 2 figures
- Wilson, Charles Maye. Coprophilous Ascomycetes of Virginia 374-377
- Zeller, Sanford Myron. More notes on Gasteromycetes 282-312, 11 figures

INDEX TO GENERA AND SPECIES

New names, the final members of new combinations, and the page where the formal description appears, are in **bold face type**. Mistakes in the spelling of scientific names encountered in the text are corrected in the index.

- Abortiporus 189; borealis 189; dealbatus 189; distortus 189; humilis 189; Peckianus 189; subabortivus 188  
Absidia 127  
Abstoma 306; **Townei** 306  
Acanthocystis 82  
Acaulopage 263, 268, 269, 278, 379, 405; **crobylospora** 270, 272, 275, 276, 280, 397; gomphoclada 390; **ischnospora** 265, 267, 279, 280, 380, 382, 383; marantica 254, 390; stenospora 383; tetraceros 263, 382  
Achorion gypseum 716, 720, 723  
Actinomucor 127  
Actinomyces albus 428, 430  
Adelopus 479, 486, 490; balsamicola 479, 487; balsamicola f. Douglasii 490; Gumannii 480, 488; nudus 486-489  
Aecidium 246; hyalinum 123; **Mecycyli** 245  
Agaricus 86, 87; amarus 732; arvensis 167; campestris 166, 167; cyaneus 188; decorosus 622; strigiceps 85; trisulphuratus 77, 87  
Aleuria 668; aurantia 637  
Aleurina atrovinosa 637; pseudotreichispora 668  
Allomyces 109; arbuscula 109, 110  
Alternaria 127, 344; Solani 16  
Amanita 177, 178, 306; muscaria 167, 251; pantherina 54; ruber 251; verna 167  
Amanitopsis vaginata 167  
Anthomyces 337  
Anthomycetella 334, 336, 337, 339; Canarii 337, 339, 340  
Anthracophyllum 79  
Apostemidium guernisaci 637; vibrissoides 637  
Arachnion 285  
Araiospora 142  
Arcangeliiella lactarioides 282  
Armillaria 80, 250, 622, 624; **decolorosa** 622, 623, 624; luteovirens 624; luteovirens f. **alba** 625; mellea 166, 167  
Arrhenia 498  
Arthrobotrys 19; dactyloides 5, 6, 12, 16; oligospora 276  
Ascobolus americanus 374; geophilus 374, 637; glaber 374, 638; immersus 375; Leveillei 375; magnificus 375; stercorarius 375, 638; striisporus 375; viridulus 375; Winteri 375  
Ascochyta 477; Heraclei 475  
Ascophanus 640; argenteus 375; **brunneus** 636, 638, 689; carneus 375; cervarius 638; granulatus 639, 640; granulatus var. **robustus** 636, 640; lacteus 375; ochraceus 640; **Velenovskiyi** 636, 640; vicinus 375  
Aspergillus 126-128, 538, 570, 579, 582, 587, 591, 592, 594, 597, 598; caespitosus 582, 583, 585; clavatus 569; fischeri 127; flavipes 582, 586; flavus 126, 570, 579, 582, 586, 587; fumigatus 127, 569, 587; giganteus 579, 582, 586; nidulans 570-572, 576, 578-580, 582-586; niger 126; oryzae 126, 582, 586, 587; parasiticus 582, 586; quadrilineatus 583; rugulosus 583; unguis 583, 585; varicolor 582, 583, 585; versicolor 127, 587; wentii 126  
Asterella 482; nuda 483, 484, 487  
Asterina 485, 489; balsamicola 480, 487; nuda 479, 480, 482-487, 489  
Asterophlyctis sarcopoides 67  
Asterotus 79  
Atractium Therryanum 329, 330  
Auricularia auricularis 90  
Badhamia 453; capsulifera 453; hyalina 453; magna 453, 454; utricularis 453, 454  
Barssia 447; oregonensis 451  
Bartalinia 618, 620, 621; **noliniae** 619, 620  
Bdellospora 379  
Belonidium 668; Schnabelianum 668  
Belonioscypha **miniata** 636, 640, 689  
Boletus chrysenteron 167; Satanas 167  
Bondarzewia 189; Berkeleyi 189; montana 189  
Botryosphaeria 93, 108  
Botrytis 113-116, 119, 717, 719, 723; cinerea 116; depraedans 691; **Geranii** 116, 118

- Bovista 287, 306  
 Brunchostia 494; **Boycei** 494;  
 gibbosa 494; laricina 494; pinea  
 494  
 Bubakia 247  
 Bulgaria 683; melastoma 683  
 Burrillia 602, 606-608, 610; **Ajre-**  
**kari** 607, 610, 611; anomala 607;  
 Narasimhanii 602, 606, 607, 610;  
 pustulata 610  
 Caeoma Botryapites 120  
 Calbovista subsculpta 297  
 Callistosporium 81  
 Calocera cornea 105  
 Calvarula 283, 284; excavata 283,  
 312  
 Calvatia 282, 285, 300, 302, 306;  
 aretica 298, 299; caelata 302;  
 cretacea 297-299, 312; cyathi-  
 formis 167, 299, 300; defodioidis  
 308; fragilis 300; **fumosa** 300,  
 312; gigantea 167; lepidophora  
 251; lilacina *var.* occidentalis 300;  
 Lloydii 301, 302, 312; **ochroleba**  
 302, 312; **rubrotincta** 303; **sub-**  
**cretacea** 298, 299, 312; **subpra-**  
**tense** 305, 312; tatensis 302, 312  
 Cantharellula 500; umbonata 501  
 Cantharellus 497-501, 519, 533; al-  
 bidus 501, 511, 512; amethysteus  
 514; aurantiacus 500; Bonarii  
 500, 502, 521, 525, 527, 528, 530;  
 brevipes 499, 506, 507, 510; ci-  
 barius 499, 502, 507, 511, 512,  
 515; cibarius *var.* janthinoxanthus  
 507; cibarius *var.* neglectus 507;  
 clavatus 498, 499, 502, 503, 505-  
 507, 509, 510; floccosus 500, 502,  
 507, 519, 525, 527, 528, 530; flocc-  
 osus *f.* **excavatus** 522, 523, 525;  
 floccosus *f.* **rainierensis** 521, 524,  
 525; floccosus *f.* **typicus** 520-522,  
 525; floccosus *f.* **Wilsonii** 523,  
 526, 527; infundibuliformis 502,  
 532-534; **Kauffmannii** 500, 502,  
 516, 517-521; lutescens 532;  
 mexicanus 507; multiplex 501,  
 502, 504, 508; olidus 500; prin-  
 cepts 519; **pseudoclavatus** 498,  
 499, 502, 505, 506, 507, 510;  
 sphaerosporus 534; **subalbidus**  
 499, 502, 510, 511-513, tubae-  
 formis 500, 502, 530-533; umbo-  
 natus 500; Underwoodii 498;  
**Wilkinsae** 500, 502, 528, 529  
 Catastoma 306; ater 307; Brande-  
 geei 307; Johnstonei 309; levi-  
 sporum 310; luteolum 310;  
 Townei 306; Uplandii 311  
 Catenomyces persicinus 59, 69  
**Caulocarpa** 441; **montana** 422, 452  
 Cenangella Morthieri 329  
 Cenangium Abietis 641; ferrugi-  
 nosum 641; Morthieri 328, 329,  
 331  
 Ceratostomella 708; fimbriata 699-  
 701, 706, 707; pluriannulata 706  
 Cerotelium 238; morobeanum 238;  
**Wagateae** 237, 248  
 Chaconia 339, 421; Butleri 339  
 Chaetomium 127, 374, 587, 591-  
 594, 596, 598-600; ampullare 375;  
 bostrychodes 375; caprinum 375;  
 crispatum 375; globosum 375,  
 546, 587, 591, 592, 596; murorum  
 375; subspirale 375, 376  
 Chanterel Chanterellus 512  
 Chlorociboria 689; **aeruginascens**  
 636, 641; aeruginosum 641  
 Chlorosplenium 641; chlora 641  
 Chrysomyxa Arctostaphyli 469  
 Chytriumyces 152, 156; aureus 152,  
 154, 155, 157; hyalinus 152, 154,  
 155, 157; **spinosus** 152, 153, 154,  
 156, 157  
 Ciboria 642; caucus 642; rufescens  
 636, 642; rufofusca 642; tenui-  
 stipes 642  
 Circinella 127  
 Cistella 643; dentata 643; Geelmuy-  
 denii 643; xylita 644  
 Cladochytrium 68; replicatum 68,  
 69  
 Claudopus cyaneus 187  
 Clavaria aurea 167; cristata 167;  
 stricta 167  
 Clithris graphis 644; Juniperi 644  
 Clitocybe 78, 82-84, 500; amara  
 735; aurantiaca 501; brevibasidi-  
 ata 77, 84; circinata 79; gigantea  
 733; olida 501; Rappiana 725,  
 735, 736  
 Coccidioides immitis 373  
 Cochlonea 278, 379, 405; agamum  
 254; megalosomum 254; pumi-  
 lum 394  
 Coemansia 143  
 Coleomyces 131  
 Coleosporium 131; helianthi 420,  
 424; Solidaginis 469  
 Collybia 81; dryophila 82; prae-  
 multifolia 80; radicata 167  
 Coniophora cerebella 315; puteana  
 315  
 Coniothyrium 190, 191, 193-195;  
**minitans** 191, 192-195  
 Conocybe 88, 89; tenera 88  
 Coprinus 2, 168; atramentarius  
 167; comatus 166, 167; ebulbosus  
 166, 167; ephemerus 474; mica-  
 ceus 166, 167



- Corbulopsora 236; **Cumminsii** 235, 236, 248  
 Cordyceps 535, 537, 538, 540, 541, 545; brasiliensis 538, 539; curculionum 540, 541; entomorhiza 540; dipterigena 542; flavobrunnescens 544; joaquiensis 538, 540; militaris 535, 537, 539; myrmecophila 544; olivacea 538-540, 545; olivaceo-virescens 538-540; **olivascens** 537, 538, 540; Puiggarii 540; **salebrosa** 541, 542; sphecocephala 540; **venezuelensis** 543; **washingtonensis** 535, 536  
 Corticium 334, 709; confluens 709, 712, 713  
 Cortinaria 132; albidiformis 132; amarissima 132; atribadia 132; campestris 132; citriniceps 132; cylindrispora 132; deflexa 132; equestriformis 132; fimbriata 132; hebelomoides 132; lacticeps 132; largiformis 132; oreades 132; perviolacea 132; privigniformis 132; pusilla 132; squalidiformis 132; subcamphorata 132; subfimbriata 132; subglobispora 132; sublilacina 132; viscibadia 132; Watsonii 132; Weberi 132  
 Cortinarius 132; albidiformis 132; amarissimus 132; atribadius 132; campestris 132; citriniceps 132; cylindrisporus 132; deflexus 132; equestriformis 132; fimbriatus 132; hebelomoides 132; lacticeps 132; largiformis 132; oreades 132; perviolaceus 132; privigniformis 132; pusillus 132; squalidiformis 132; subcamphoratus 132; subfimbriatus 132; subglobisporus 132; sublilacinus 132; viscibadius 132; Watsonii 132; **Weberi** 132  
 Cortinellus decorosus 622  
 Coryne 674  
 Craterellus 498, 503; carneus 507; clavatus 507; multiplex 502  
 Cremeogaster 284; klikae 284; levisporus 283  
 Cribraria 455; atrofusca 454, 455; dictyospora 455; piriformis 454, 455  
 Cristulariella 690, 691, 698; depraedans 690, 691, 697, 698; **pyramidalis** 692, 693, 695-698  
 Cronartium 131, 335; Commandrae 469  
 Crossopsora Zizyphi 338  
 Crumenula 494, 495; abietina 494; laricina 494  
 Cryptococcus 165, 167, 168; **californicus** 169; pulcherrimus 166, 169; **spaeicus** 169; **utilis** 166, 169; uvae 166, 169  
 Cryptopus 488; nudus 487  
 Cryptosporiopsis 329; versiformis 329  
 Cryptosporium 494; Boycei 494  
 Ctenoderma 421  
 Cudonia circinans 644; grisea 645; monticola 645  
 Cumminsiella sanguinea 469  
 Cunninghamella 127  
 Cyathicula alpina 645; aquilina 645  
 Cylindrosporium 477; hamatum 477; Heraclei 475-477; **Umbelliferarum** 475, 477  
**Cystoagaricus** 85, 86-88; **Strobilomyces** 86, 87, 88; **trisulphuratus** 87  
 Cystoderma 85, 624; cinnabarinum 85  
 Cystopage 379  
 Dacrymyces 90, 91, 94, 99, 104; abietinus 103, 108; deliquescent 94, 103, 104; Ellisii 103, 104; minor 94, 103, 104; pedunculatus 105  
 Dacryomitra nuda 105  
 Dactylaria 16; brochopaga 5, 6, 16; psychrophila 16; pulchra 277; thaumasia 16  
 Dactylella 5, 16, 19, 278; atractoides 277; bembicodes 5, 6, 13, 18; **coelobrocha** 7, 9, 17, 19, 20; doedycoides 5, 8, 13; ellipsospora 14; heptameres 277; heterospora 5, 8, 13; rhombospora 277; rhopalota 277; tenuis 277; tylopaga 254  
 Daedalea 188; confragosa 167; quercina 315, 317, 326, 327  
 Dasyscypha 646; Agassizii 646; **capitata** 636, 646; elegantula 646; fusco-brunnea 646, 647; pulverulenta var. purpurascens 647  
 Deconica 86  
 Delitschia leporina 377  
 Dendryphium 392, 617; **obstipum** 617, 619  
 Dermatea 333; acerina 333; micula 330; Micula 331  
 Dermea 328, 329, 333; acerina 328; micula 328  
 Desmazierella acicola 647  
 Diacanthodes 189; philippinensis 188, 189  
 Dicellomyces gloeosporus 103  
 Dictydium magnum 453

- Diderma* 456; *cor-rubrum* 455, 456;  
*Lyallii* 456; *montanum* 455, 456;  
*radiatum* 457  
*Didymaria* 474, 475; *conferta* 474,  
 475  
*Didymium complanatum* 457, 458;  
*confluens* 457; *crustaceum* 457;  
*melanospermum* 457; *Serpula*  
 457; *squamulosum* 461  
*Didymopsis* 244  
*Dimerium* 485, 489; *Juniperi* 485  
*Dimerosporium* 482, 485, 489; *bal-*  
*samicolum* 479, 484-487  
*Diorchidium* 421, 422; *pallidum*  
 409; *piptadeniae* 421  
*Diplophlyctis* 56  
*Discina* 650; *apiculata* 647; *olym-*  
*piana* 636, 648, 689; *perlata* 648,  
 658  
*Discinella Boudieri* 650; *washing-*  
*tonensis* 636, 650, 689  
*Disciotis* 650  
*Disciseda* 311; *ater* 307; *Brande-*  
*geeii* 288, 307, 308, 312; *candida*  
 307, 309; *defodioidis* 308, 312;  
*hypogaea* 310; *Johnstonii* 309;  
*levispora* 308, 310; *luteola* 310;  
*uplandii* 307, 311  
*Doassansia* 602-604, 606, 610, 611;  
*Alismatis* 602, 603; *Eichorniae*  
 607; *Hygrophilae* 602, 603; *Nym-*  
*phaeae* 604  
*Doassansiosis* 602-604, 606; *Mart-*  
*ianoffiana* 603, 604; *Nymphaeae*  
 604, 611; *pustulata* 606  
*Ecclia* 187  
*Elaphomyces* 143  
*Endochytrium* 60, 68; *operculatum*  
 69  
*Endophyllum* 244  
*Endoptychum* 559  
*Enteridium* 458; *liceoides* 458, 459;  
*minutum* 458, 459; *olivaceum*  
 458, 459; *Rozeanum* 458, 459;  
*yabeanum* 458, 459  
*Entoloma cyaneum* 187  
*Entophlyctis* 67; *aurea* 67  
*Epidermophyton* 200; *floccosum*  
 717-719, 721, 722  
*Erysiphe polygoni* 469  
*Eu-Cantharellus* 499  
*Euconocybe* 89  
*Eudiderma* 456  
*Eudoassansia* 603  
*Excavatus* 500  
*Exidia* 99; *Cokeri* 98, 108; *nu-*  
*cleata* 98, 99; *recisa* 96; *spiculata*  
 96, 108; *spiculosa* 96  
*Exobasidium Vaccinii* 473  
*Femsjonia pezizaeformis* 105, 108  
*Fomes* 210, 212-217, 327; *arcto-*  
*staphylii* 212, 213, 215, 216; *earlei*  
 212; *fomentarius* 143; *fraxineus*  
 251; *igniarius* 212, 213, 216; *juni-*  
*perinus* 212; *officinalis* 317; *Pini*  
 474; *rimosus* 213, 215; *robustus*  
 210-216; *roseus* 315, 316, 318,  
 321, 322; *subroseus* 321, 322;  
*texanus* 210, 212, 213, 215, 216  
*Fusarium* 19, 127, 494, 724; *Poa*  
 350  
*Fusoma Heraclei* 477  
*Gambleola* 244; *cornuta* 243, 244,  
 248  
*Gelatinodiscus* 636; *flavida* 651  
*Gelopellis hahashimensis* 284;  
*Thaxteri* 284  
*Genea arenaria* 451; *cerebriformis*  
 451; *Gardneri* 451; *Harknessii*  
 451; *intermedia* 451  
*Geopetalum* 82  
*Geopora* 447; *glabra* 446-448;  
*Harknessii* 451; *magnata* 451  
*Geopyxis cupularis* 650; *vulcanalis*  
 650  
*Gibberella roseum* 196  
*Gloeotulasnella pinicola* 107  
*Godronia Davidsoni* 651; *urceolus*  
 651  
*Gomphus* 499; *clavatus* 508; *trun-*  
*catus* 508  
*Guepinia* 563; *elegans* 104, 108;  
*spathularia* 105  
*Guepiniopsis chrysocomus* 105, 108  
*Gymnopilus* 83; *sapineus* 83  
*Gymnopus praemultifolius* 77, 80  
*Gymnosporangium* 93, 120-123, 422;  
*biseptatum* 121; *clavariaeforme*  
 120; *Ellisii* 121; *fraternum* 121;  
*globosum* 122; *hyalinum* 123-  
 125; *juvenescens* 469; *juniperi-*  
*num* 120; *Sabinae* 120  
*Gyrocraera* 445  
*Gyromitra esculenta* 688  
*Haplochalara* 143  
*Haplosporangium* 127, 372; *par-*  
*vum* 372, 373  
*Helicoceras* 142  
*Helicodesmus* 142  
*Helicostylum* 127  
*Helminthosporium* 392, 401; *oryzae*  
 158, 159, 161-163  
*Helotium* 652, 680, 681, 689; *bryo-*  
*genum* 651; *caraborum* 651; *citri-*  
*num* 652; *destructor* 651, 652;  
*epiphyllum* 652; *fuscobrunneum*  
 651; *gemmarum* 680; *imberbe*  
 652; *Phialea* 652; *scutula var.*



- caudatum 653; scutula *var.* *grosulariae* 653; scutula *f.* *Rubi* 653; *turbinatum* 651
- Helvella* 688; *californica* 653; *crispa* 468, 654; *elastica* 654; *esculenta* 654; *infula* 654; *lacunosa* 654, 688; *mitra* 654
- Hemileia* 231, 232; *Chlorocodonis* 234; *mysorensis* 232, 234, 248; *scutula* 234; *sonensis* 232; *Wrightiae* 231
- Hemileiopsis Wrightiae* 231
- Hemimycena* 84; *fibula* 84
- Heteropatella* 464, 465; *lacera* 464; *umbilicata* 465
- Heterosphaeria* 464, 465; *Linariae* 464, 465; *Patella* 464, 465; *Patella var. Lojkae* 464
- Holocotylon* 282, 285, 288; *anomalum* 285, 287, 288; *brandegeanum* 286; *mexicanum* 286, 287; *rigidum* 286; *texense* 287
- Humaria* 640, 655, 668; *albocincta* 636, 655; *coprinaria* 636, 655; *crucipila* 636, 655; *diplotricha* 636, 656; *erinacea* 636, 656; *granulatus* 639; *granulata var. robusta* 640; *granulata var. typica* 640; *Lusatiae* 656; *melaloma* 636, 656; *rustica* 659; *setosa* 657; *scutellata* 657; *stellata* 636, 657, 658, 689; *stercorea* 658; *theleboloides* 636, 658
- Humariella* 668; *pseudotrechispora* 668
- Humarina* 655; *granulata* 639; *ochroleuca* 658; *purpurea* 468; *semiimmersa* 659; *washingtonensis* 636, 659, 689
- Hyalina crenato-marginata* 659
- Hyalopeziza* 660; *caricis* 660; *ciliata* 660; *Pteridis* 636, 660
- Hyalopora Polypodii* 469
- Hyaloria* 560, 561, 563; *Pilacre* 556
- Hyaloscypha alniseda* 661; *atomaria* 556, 563; *hyalina* 661
- Hydnobolites californicus* 451
- Hydnotrya* 441, 442, 445, 447, 448; *carnea* 446, 448; *cubispora* 446, 448, 451; *ellipsospora* 445-448, 452; *Tulasnei* 446; *variiformis* 444, 446-448, 452; *yukonensis* 445, 446, 448, 452
- Hydnum erinaceus* 315
- Hygrocybe* 83, 84; *Cantharellus* 83
- Hygrophorus* 3, 178; *russuliformis* 178; *suborsidius* 178
- Hymenoscypha* 681; *alniella* 680; *subcarnea* 652
- Hypoholoma appendiculatum* 166; *incertum* 167
- Hypocopra gigaspora* 377
- Hypomyces ipomoeae* 199; *solani* 196, 198, 199; *solani f. cucurbitae* 199, 723
- Hypsizygus* 77, 78, 79, 82; *tessulatus* 78, 79
- Hysterangium hahashimense* 284; *stoloniferum var. brevisporum* 288
- Hysterographium prominens* 661
- Illosporium didieckeanum* 691
- Inocybe* 21, 23, 25, 27, 29, 31, 35, 37, 43, 44, 45, 49, 50, 52, 54, 55, 86; *albodisca* 22, 24, 55; *Bresadolae* 24; *brunnea* 27, 54; *Casimiri* 39; *castanea* 24, 25, 55; *chelanensis* 26, 27, 55; *cicatricata* 27, 28, 55; *decipientoides* 28, 30, 31, 55; *dulcamara* 31, 32, 55; *eutheles* 474; *fastigiata* 46; *fulvella* 32, 33, 55; *fulvida* 38; *geophylla* 35; *geophylla var. lateritia* 33, 34, 35, 55; *geophylla f. perplexa* 33, 35; *globocystis* 31; *Godeyi* 35; *grammata* 24; *hiulca* 24; *Hotsoniana* 36, 55; *lanuginosa* 39, 45; *leptophylla* 38, 39, 55; *lucifuga* 39, 40, 55; *mixtilis* 50; *obscura* 40-42, 44, 55; *obscura var. purpurea* 41; *obscura var. rubens* 42, 44, 55; *perbrevis* 48; *petiginosa* 33; *Poujoli* 38; *Rennyi* 27, 44, 45, 55; *rimosa* 167, 474; *sororia* 45, 46, 55; *subdecurrens* 47, 48, 55; *tomentosa* 48; *trechispora* 48, 50, 55; *umbrina* 50, 51, 55; *viscidula* 51, 52, 55; *volvata* 52, 53-55
- Karlingia* 67, 68; *granulata* 57, 59, 60, 61, 63, 65, 68-70; *hyalina* 63, 64-66, 68, 69, 70; *rosea* 57, 59-67, 69, 70; *spinosa* 57, 60, 62, 63, 65, 66, 68-70
- Karschia* 466; *adnata* 465, 466; *juniperi* 466; *lignyota* 466, 661; *melaspileoides* 661; *microscopica* 466; *occidentalis* 466; *Sabinae* 466; *stygia* 466, 662
- Kernia* 335, 340
- Kickxella* 143
- Kuehneola* 235
- Laccaria* 80
- Lachnaea* 655
- Lachnaster* 662; *miniatus* 636, 662, 689
- Lachnea* 655, 668; *alpina* 657; *diplotricha* 656; *pseudotrechispora* 668; *umbrorum* 657, 658

- Lachnella corticalis* 664  
*Lachnum* 646; *albotestaceum* 662; *alneum* 663; *bicolor* 663; ***bohemicum*** 636, 664; *calyculaeforme* 663; *carneolum* 665; *clandestinum* 663; *corticale* 663, 664; *crystalligerum* 665; *flavofloccosum* 664; *flavo-fuligineum* 664; *Gaultheriae* 664; *hyalinellum* 664; *hyalinellum f. fructicolum* 665; *nardi* 665; *niveum* 665; *pallidroseum* 666; *setigerum* 666; *spiraecolum* 666; *sulfureum* 666; *virgineum* 666  
*Lactaria* 132; *alachuana* 132; *amarissima* 132; *arctuata* 132; *avellanea* 132; *Buckleyana* 132; *nonlactiflua* 132; *paradoxiiformis* 132; *parvula* 132; *praeviscida* 132; *praezonata* 132; *sublata* 132; *subtestacea* 132; *terminosa* 171; *terminosa glabra* 132, 171, 173; *Westii* 132  
*Lactarius* 132, 171, 282, 283; *alachuanus* 132; *amarissimus* 132; *arcuatus* 132; *avellaneus* 132; ***Buckleyanus*** 132; *deliciosus* 474; *Hibbardiae* 474; ***nonlactifluus*** 132; *paradoxiiformis* 132; *parvulus* 132; *praeviscidus* 132; *praezonatus* 132; *psammicola* 171, 173; *sublatus* 132; *subtestaceus* 132; *terminosus* 171, 173; ***terminosus glabrus*** 132; *Westii* 132  
*Laetinaevia* 467  
*Lagenidium* 224, 225, 227, 230; *Callinectis* 225; *giganteum* 224, 225, 228; *humanum* 224, 225, 226, 228-230; *microsporum* 228  
*Lamprospora carbonaria* 667; *crec'hqueraultii* 667; *haemastigma* 468, 667; *leiocarpa* 667  
***Lampteromyces*** 79, 80; ***japonicus*** 80  
*Lasiobolus equinus* 375, 667  
*Laternea* 142  
*Leangium* 456  
*Lentinus* 79; *lepideus* 315, 316, 318, 322, 327  
*Lenzites saepiaria* 315, 316, 318, 323, 325-327; *trabea* 315, 316, 318, 324  
*Lepidoderma* 457; *stellatum* 461  
*Lepiota* 2, 87, 624; *Morgani* 166, 167; *naucina* 166  
*Lepista amara* 732  
*Leptosphaeria* 478  
*Leptotus* 498  
*Leucogaster* 284, 285, 287, 289, 291; ***columellatus*** 289; *floccosus* 291; ***longisterigmatus*** 289, 291  
*Leucopaxillus* 725, 736; *albissimus* 725; *albissimus var. monticola* 730, 732; *albissimus var. paradoxus* 732; *albissimus var. piceinus* 732; *albissimus var. typicus* 732; *amarus* 725, 732, 734, 735; *amarus f. alboalutaceus* 725; *amarus f. bicolor* 735; *amarus f. gracilis* 735; *amarus sf. major* 734; *amarus sf. minor* 734; *amarus f. typicus* 735; *amarus f. vulpeculus* 735; *giganteus* 725; *gracillimus* 725, 735, 736; *laterarius* 733; *leptistoides* 728; *pulcherrimus* 725, 733; *rhodoleucus* 725, 734; ***septentrionalis*** 726, 728; *tricolor* 734  
*Leucophleps* 284, 285  
*Licea microsperma* 461, 462; *stipitata* 461  
*Lophodermium pinastri* 667  
*Lunospora* 737; *avenae* 740; *baldingerae* 740; *bromigena* 740, 741; *culmifida* 739, 740; *culmorum* 739, 740; *curva* 737, 740; *lunata* 739, 740; *oxyospora* 737, 740; *penniseti* 740; *suboxyospora* 739, 740  
*Lycogala epidendrum* 459, 460; *epidendrum var. exiguum* 460; *epidendrum var. tessellatum* 459, 460; *exiguum* 459, 460  
*Lycoperdon* 289, 557-559; *complanatum* 457; *favogineum* 460; *lepidophorum* 251; *pratense* 306; *pyriforme* 167; *subincarnatum* 167; *subpratense* 305  
*Lyophyllum* 78; *ulmarium* 78  
*Macowanites alpinus* 291, 312  
*Mainsia* 235; *Lagerheimi* 235; ***Pterocarpi*** 234, 248  
*Marasmiellus* 84; *juniperinus* 84  
*Marasmius* 88, 89; *aciculiformis* 88; *oreades* 166, 167, 306; *squamosidiscus* 77  
*Marvalia* 235; *achroa* 235; *pallida* 235  
*Marsonia* 475; *Wyethiae* 475  
*Martensella* 143  
*Masseella* 244  
*Melampsora Abieti-Capraearum* 469; *albertensis* 470; *Bigelowii* 470; *Lini* 470; *occidentalis* 470; *Ribesii-purpureae* 469  
*Melampsorella Cerastii* 470  
*Melanogaster* 558  
*Melanoleuca* 85  
*Melanospora destruens* 699, 708  
*Melastiza charteri* 668

- Meliola* 482, 483, 485, 486, 489;  
*balsamicola* 479, 480, 482, 483,  
 485-487, 489  
*Melittosporium* 668; *Schnabeli-*  
*anum* 668  
*Merulius* 250; *clavatus* 507; *tremel-*  
*osus* 315  
*Metarrhizium* 555; *glutinosum* 359,  
 546, 547, 549, 551, 555  
*Microcylus* 490  
*Micropera* 329  
*Micropodia pteridina* 669  
*Microsporium* 200, 209; *audouini*  
 200-209; *canis* 200; *felineum* 200;  
*fulvum* 200; *gypseum* 200; *lano-*  
*sum* 200  
*Micula Mougeotii* 329-331  
*Mitrula cucullata* 669; *phalloides*  
 669  
*Mollisia* 556; *amenticola* 669; *bene-*  
*suada* 669; *caespiticia* 670; *ci-*  
*nera* 670; *complicatula* 670; *re-*  
*vincta* 670  
*Montagnea* 559  
*Morchella angusticeps* 468; *conica*  
 671; *crassipes* 671; *esculenta* 671  
*Mortierella* 127  
*Mucor* 127  
*Mycena* 2; *pura* 166  
*Mycenastrum* 297; *corium* 297  
*Mycoderma* 168  
*Mycotypha* 127; *microspora* 127  
*Myrothecium* 547, 548, 555; *inun-*  
*datum* 548; *roridum* 548-551,  
 553-555; *verrucaria* 548-551, 553-  
 555  
*Myxomycidium* 143  
  
*Naevia Epilobii* 467  
*Naucoria* 87, 88; *juruaensis* 77, 88  
*Nematoctonus* 5, 6  
*Nephrochrytrium* 60; *amazonensis*  
 59, 69  
*Neurophyllum* 499; *clavatum* 507  
*Neurospora* 199  
*Niptera melatephra* 671  
*Nolanea* 88; *Strobilomyces* 77, 86  
*Nothopanus* 82; *eugrammatus* 82  
*Nowakowskiella* 69; *granulata* 59;  
*macrospora* 59, 69  
  
*Ocellaria* 333; *aurea* 671  
*Ochromarasmius* 88, 89  
*Oidium* 143  
*Oligonema* 460; *nitens* 460;  
*Schweinitzii* 460  
*Oligostroma* 477  
*Olipidiopsis* 229  
*Olpidium* 226  
*Ombrophila* 672, 674; *blumenaven-*  
*sis* 674; *flavens* 671; *limosella*  
 672; *Lysichitonis* 636, 672, 689;  
*microsporma* 674; *microspora*  
 672; *pellucida* 674; *spelunarum*  
 672; *violacea var. rosiae* 674  
*Omphalia* 83, 84; *campanella* 326;  
*Postii* 77, 83  
*Omphalina* 83; *brevibasidiata* 84;  
*Postii* 83, 84; *umbellifera* 501  
*Omphalotus* 78, 79, 83, 84; *olearius*  
 83  
*Ophiobolus miyabeanus* 163  
*Orbilina paradoxa* 674  
*Ostropa cinerea* 674  
*Otidea* 674, 675; *abietina* 674; *can-*  
*tharella var. minor* 674; *felina*  
 674, 675; *grandis* 674; *leporina*  
 675; *pleurota* 675; *Smithii* 675  
*Otidella fulgens* 675  
  
*Panaeolus retirugis* 474; *semiova-*  
*tus* 474  
*Panus* 79; *rudis* 166  
*Paspalomyces* 143  
*Patella* 655; *crucipila* 655; *curvi-*  
*pila* 657; *setosa* 468; *stercorea*  
 657, 658; *theleboloides* 656  
*Patellaria lecideola* 676; *subvelata*  
 676  
*Patellea californica* 676  
*Paxillopsis* 3  
*Paxillus panuoides* 325, 326  
*Paxina Dupainii* 677; *hispida* 677;  
*macropus* 677; *nigrella* 677; *sub-*  
*clavipes* 677  
*Pedilospora dactylopaga* 19  
*Penicillium* 127, 128, 538, 570, 572,  
 582, 591, 592, 594, 595, 598, 600;  
*asymmetrica* 587; *biverticillata*  
 587; *chrysogenum* 130, 426, 572,  
 579, 582, 586; *fasciculata* 587;  
*lanata typica* 587; *notatum* 426,  
 440, 571, 572, 578, 579, 582, 584;  
*symmetrica* 587; *velutina* 587  
*Peniophora* 326  
*Perrotia flammnea* 677  
*Pestalotia* 620, 621  
*Pestalozzia* 620; *uvicola* 621  
*Pestalozzina* 620  
*Pezicula* 328, 329, 333; *acericola*  
 333; *alnicola* 328; *Frangulae* 329;  
*Morthieri* 328, 329, 330, 332  
*Peziza* 444, 445, 674; *albocincta*  
 655; *amplissima* 685; *badia* 677;  
*balsamicola* 480, 483, 486; *brun-*  
*neoatra* 678; *capitata* 646; *cerva-*  
*rius* 638; *charteri* 668; *coprinaria*  
 655; *corticalis* 664; *crucipila* 655;  
*erinacea* 656; *fimeti* 375, 468, 678;  
*leporina var. cinerea* 675; *Lusa-*  
*tiae* 656; *melaleucoides* 678; *me-*  
*laloma* 656; *melastoma* 683;

- odorata 166; pteridina 669; pustulata 678; repanda 468, 678; sepiatra 679; subcarnea 652; sylvestris 468, 679; theleboides 658; vesiculosa 375; violacea 679
- Pezizella micropsis* 679
- Pezizellaster radiostriata* 679
- Phaeangella Morthieri* 330
- Phaeocryptopus* 488, 490; *Abietis* 488; *nudus* 487
- Phaeomarasmius* 87-89
- Phaeoseptoria* 739, 742
- Phakopsora* 247; *tecta* 245
- Phallus impudicus* 166, 167
- Phialea* 680, 681; *alniella* 680; *cyathoidea* 680, 681; *cyathoidea var. minutula* 636, 680; *discreta* 680; *minutula* 680; *olympiana* 636, 681, 689; *pallida* 636, 681, 689; *subcarnea* 652
- Phleospora* 478
- Phloeochora* 477; *Heraclei* 475
- Phloeospora* 477
- Phlogiotis Helvelloides* 556
- Phlyctidium mycetophagum* 230
- Phlyctotrichia endogena* 68, 69; *variabilis* 59, 68, 69, 224, 230
- Pholiota praecox* 166, 167; *squarrosa* 474
- Phoma terrestris* 717
- Phragmidium* 235; *Ivesiae* 470; *montivagum* 470; *occidentale* 470; *Rosae-acicularis* 470; *Rosae-arkansanae* 470; *Rubi-Idaei* 471
- Phragmonaevia emergens* 467
- Phycomyces* 127
- Phyllachora* 477; *Heraclei* 476, 477
- Phyllactinia* 143
- Phyllostachys bambusoides* 334
- Phyllosticta stomaticola* 739, 740; *Uredinicola* 245
- Phyllotopsis* 79
- Physarum columbinum* 461; *compactum* 461; *confertum* 461; *Schweinitzii* 460; *stellatum* 461; *Wingatense* 461
- Phytophthora* 218-223; *cambivora* 221; *cinchonae* 218, 219, 221, 223; *cryptogea* 221; *drechsleri* 221; *erythrosepica* 221; *faberi* 218; *fragariae* 221, 223; *megasperma* 221, 223; *palmivora* 218, 223; *parasitica* 219; *Quininea* 220, 221, 222; *richardiae* 221
- Picoa carthusiana* 451
- Pilaira* 127; *anomala* 127
- Piptcephalis* 127
- Platyglöea* 90; *Miedzyrzecensis* 91, 108; *peniophorae* 90, 108; *unisporea* 93, 108
- Pleoravenelia* 337
- Pleospora* 478
- Pleurage adelura* 376; *albicans* 376; *amphicornis* 376; *anomala* 376; *anserina* 376; *arachnoidea* 376; *collapsa* 376; *conica* 376; *curvicola* 376; *dakotensis* 376; *decipiens* 376; *erostrata* 376; *fimiseda* 376; *minuta* 376; *pleiospora* 376; *taenioides* 376; *vestita* 376; *zygosporea* 376
- Pleurocollybia* 80; *praemultifolia* 80
- Pleurocybella* 78, 81, 82; *porrigens* 81, 82, 83
- Pleurotus* 78-82; *japonicus* 77, 80; *lignatilis* 77, 82; *olearius* 79; *porrigens* 77, 81; *striatulus* 474; *tessulatus* 77, 78; *ulmarius* 78
- Pluteus cervinus* 166
- Podabrella* 81
- Polyactis depraedans* 691
- Polyzoellus* 499; *multiplex* 502
- Polyporus betulinus* 167; *borealis* 474; *compactus* 321; *dealbatus* 189; *palustris* 315; *pargamenus* 314, 315; *Peckianus* 189; *sulphureus* 315; *versicolor* 314, 315, 326
- Polyspora lini* 342
- Polystomella* 490
- Pompholyx* 294, 295; *occidentale* 293, 294, 295; *sapidum* 294
- Poria* 210, 250, 317, 326; *carbonica* 315, 317, 325-327; *carnegiea* 210; *incrassata* 313, 327; *microspora* 314-317, 322, 325-327; *monticola* 316; *nigra* 315; *oleracea* 315, 316, 317, 318, 319, 327; *xantha* 314, 315, 317, 322, 325-327
- Propolis faginea* 682; *leonia var. Weiriana* 682
- Protophallus* 283
- Psalliota* 2
- Psathyra* 2
- Psathyrella* 86, 88
- Pseudobalsamia* 447
- Pseudociboria* 636, *umbrina* 680
- Pseudocollema* 636; *cartilagineum* 682
- Pseudoplectania* 675; *melaena* 676; *nigrella* 468, 676, 682
- Psilocybe coprophila* 474; *sarcocephala* 474
- Puccinia* 149, 239, 244, 334, 413, 421-423, 631; *Absinthii* 471; *Aristidicola* 239; *Arrhenatheri* 150; *Asteris* 471; *atrofusca* 471; *Balsamorhizae* 471; *Bottomleyae* 238, 239; *boutelouae* 421; *Bulbostylidicola* 239, 248; *Bulbostylidis* 241; *Calochorti* 471; *Caricis var. urticata* 471; com-

mutata 471; coronata 149, 471;  
corticoides 334; Crandallii 471;  
Cynodontis 239; Digitariae 242;  
exhauriens 241; extensicola *var.*  
hieraciata 471; extensicola *var.*  
Valerianae 471; Eylesii 238, 239;  
flaccida 421; graminis 145, 148-  
151; graminis tritici 148, 150, 162,  
164; Grindeliae 471; Haleniae  
472; Heucherae 472; Hieracii  
472; Holboellii 472; Jonesii *var.*  
typica 472; levis 421; malvace-  
arum 423; mesnieriana 149;  
monoica 472; oahuensis 242;  
Onopordi 472; Palmeri 472;  
peraffinis 243; Phyllocladiae 242,  
243; Polygonii 239; rubigo-vera  
*var.* Agropyri 472; rubigo-vera  
*var.* agropyrina 472; rubigo-vera  
*var.* apocrypta 472; Schottmul-  
lerii 334; Shiraiana 243; Solmsii  
239; Thwaitesii 243; vagans *var.*  
Epilobii-tetragoni 473  
Pucciniastrum Celastri 246; Goep-  
pertianum 473; pustulatum 473  
Puccinosira 244  
Pulveroboletus auriporus 83  
Pyrenopeziza californica 467; com-  
pressula 467; Rubi 683  
Pyronema omphalodes 683  
Pythium 226, 615; arrhenomanes  
6; ultimum 254, 263, 269, 380,  
386, 392  
Ramularia 477; Heraclei 477  
Ravenelia 235, 422  
Resupinatus 81  
Reyesiiella 337  
Rhabdospora 477; curva 738, 740  
Rhizina inflata 683  
Rhizophlyctis 56, 58, 68; peterse-  
nii 66, 69; rosea 56, 69  
Rhizophydium 612, 613, 615; Amoe-  
bae 612; chitinophilum 612, 613,  
615; Closterii 612; keratinophi-  
lum 224, 230; macrosporum 615;  
mycetophagum 612  
Rhizopodella 683; melastoma 683  
Rhizopus 127  
Rhodopaxillus 725  
Rhodophyllus 3, 88, 187, 188; bys-  
sisedus 187; cyaneus 187; de-  
pluens 187; violaceus 188  
Rhodotorula 168; closterii 167, 169;  
glutinis 169  
Rhopalomyces 275  
Rhopalophlyctis 152  
Rhytisma acerinum 684; puncta-  
tum 684; salicinum 684  
Ripartitella 85; squamosidisca 85  
Ripartites 85; strigiceps 85

Roestelia 121, 122; Botryapites 120,  
121; cancellata 120; hyalina 121-  
123; transformans 121  
**Romagnesia 83, 84**  
Russula 178, 180, 182, 282, 283;  
abietina 184-186; albella 176; al-  
bida 173, 180, 182; albiduliformis  
178; alutacea 167; amethystina  
186; anomala 174-177, 180; au-  
rora 176, 180; aurora *var.* creta-  
cea 181; Blackfordiae 185; brevi-  
ceps 173, 174; chamaeleontina  
186, 474; chlorinosma 178; con-  
goana 184; crustosa 178; delicata  
173, 174; delicata *var.* glaucop-  
hylla 174; elephantina 179;  
emetica 166, 184; fellea 176;  
heterospora 178; innocua 176,  
180; integra 184; Kauffmaniana  
182; lepida 180; maculosa 177,  
178; Mariae 184; melliolens 179;  
minutula 176; Murrillii 186, 187;  
mustelina 179; nauseosa 185, 186;  
**neglecta 186**; obscura 182, 183;  
parazurea 177; placita 186; pseu-  
dodelica 173; puellaris 185; punc-  
tata 186, 187; rosea 176, 180-182;  
rosea *var.* minutula 176; rubes-  
cens 182; serotina 185; simillima  
176; sphagnophila 185; sphagno-  
phila *var.* subintegrata 185; sub-  
albidula 174-176; Turci 186; un-  
cialis 176; Velenovskii 184;  
venosa 185; versicolor 185; vi-  
nosa 182, 183; Zvara 180  
Rutstroemia 685, 689; **microspora**  
636, **684**, 689  
Ryparobius crustaceus 375; sexde-  
cimsporus 375  
Saccharomyces 165, 166; cerevisiae  
166, 167; Chodati 166, 169; dair-  
ensis 166, 169; disporus 166, 169;  
heterogenicus 166, 169  
Saccoblastia intermedia 142  
Saccobolus Kerverni 375; violas-  
cens 375  
Sarcodon imbricatus 473  
Sarcosphaera amplissima 685; co-  
ronaria 685  
Schizophyllum 142; commune 326  
Schnablia 668  
Scleroderma 282, 294, 295; areni-  
cola 295; Bovista 296; furfurel-  
lum 296; subviscidum 296  
Sclerotinia 113-115, 195, 250; Gera-  
nii 114, 115, 118; minor 190, 192,  
193, 195; sclerotiorum 190-195;  
urnula 685  
Scodellina leporina 675  
Scopella Fici 236, 237, 248



- Scytinopsis 81  
 Seaverinia 113; *Geranii* 117, 118, 743  
 Sebacina 107, 556, 559, 560, 563; *epigaea* 100, 108, 560; *molybdea* 100; *plumbescens* 101, 108; *podlachica* 101, 108; *sublilacina* 101  
 Secotium 292; *arizonicum* 293; **aurantium** 292; *macrosporum* 292  
 Seismosarca 90, 100; *alba* 100; *hydrophora* 100; **tomentosa** 99, 108  
 Selenophoma 341, 342, 344, 346-348, 737-739, 742; *bromigena* 344, 346-348, 740, 741; *curva* 737, 740; *donacis* 737, 738, 740; *donacis* var. *stomaticola* 344, 348, 738-740; **linicola** 341, 343, 345, **346**, 347, 348  
 Sepedonium 587, 591, 592, 594, 598  
 Septobasidium 424; *apiculatum* 418, 420  
 Septochytrium 60  
 Septogloeum 477  
 Septoria 477, 741, 742; *bromigena* 348, 741; *calamagrostis* 739; *cristati* 739; *culmifida* 740; *curva* 737-740; *donacis* 740; *falcispora* 739; *Heraclei* 475, 477; *lunata* 740; *oxyspora* 737, 738, 740; *oxyspora* var. *culmorum* 740; *oxyspora* var. *penniseti* 740; *secalina* 739; *secalis* 739; *suboxyspora* 740; *triseti* 739; *tritici* 739  
 Sirobasidium Brefeldianum 94, 108  
 Skierka 421  
 Sommerstorffia spinosa 6, 18  
 Sordaria fimicola 376, 699, 707, 708; *humana* 376; *leucoplaca* 376; *macrospora* 376; *minima* 376  
 Spathularia flavida 685  
 Sphaerella linorum 342  
 Sphaeria entomorphiza 540; *micula* 330, 331  
 Sphaerographium niveum 329, 330  
 Sphaerotheca pannosa 469  
 Sphenospora 409, 413, 420-423; *berberidis* 409, 421; *copaiferae* 409, 422; *kevorkianii* 409, 411, 415, 418-420, 423; *pallida* 409; *yurimaguasensis* 409  
 Spirechina 235; *Loesneriana* 235  
 Sporodinia 127; *grandis* 127  
 Sporormia chaetomioides 377; *corynespora* 377; *herculea* 377; *intermedia* 377; *leporina* 377; *minima* 377  
 Sporotrichum 349, 350; **columbiense** 350; *peribebuyense* 349, 350; *Schenckii* 350  
 Stemonitis favoginea 460  
 Stereostroma 334-337; *corticoides* 334, 340  
 Stereum 326; *frustulosum* 314, 315, 317, 326, 327  
 Stictis radiata 685; *serpentaria* 686  
 Streptomyces 426, 428, 430, 437, 439, 440; *albus* 430, 439, 440; *griseus* 130, 426-436, 438, 439, 440  
 Strobilomyces strobilaceus 166  
 Stromatinia *Geranii* 118  
 Stropharia 86; *semiglobata* var. *stercoraria* 474  
 Stylopaga 254, 379, 401; *ischnospora* 389; **rhabdoides** 255, 258, 261, 262, 266, 278, 279; *rhabdospora* 257, 260  
 Syncephalastrum 127  
 Syncephalis 127  
 Synchytrium 351, 354; *decipiens* 354; **oxalidis** 351, 352-354, 357; **ranunculi** 354, 355-357  
 Tapesia balsamicola 483, 486; *cinerella* 686  
 Tapesina 686; *griseo-vitellinum* 686  
 Taphridium 71, 75  
 Taphrina 71, 73-76; *alpina* 463, 464; *amplians* 71; *californica* 71; *cornu-cervi* 71; *filicina* 71, 74; **Higginsii** 71, 75, 76; *Hiratsukae* 71; *laurencia* 71; *lutescens* 71; *nana* 464; *osmundae* 71, 72, 74-76  
 Terfezia 449, 450; *gigantea* 449, 450, 452; *Leonis* 449; **Longii** 448, 450, 452; *spinosa* 448-450  
 Thamnidium 127  
 Thecotheus Pelletieri 375  
 Torrubia curculionum 540  
 Torula spaerica 169; *utilis* 166  
 Torulopsis californica 169; *californicus* 169; *pulcherrima* var. *variabilis* 167; *spaerica* 169; *utilis* 166  
 Trametes serialis 314, 315, 327  
 Tremella 107, 560; *carneoalba* 95; *foliacea* 96; *gangliiformis* 143; *lutescens* 95; *mesenterica* 95, 96, 166; *mycophaga* 94; *mycophaga* var. *obscura* 94; *simplex* 556  
 Tremellogaster surinamensis 142  
 Trichia favoginea 460; *nitens* 460  
 Trichoderma 127, 587, 594, 598, 601  
 Tricholoma 78, 624; *albellum* 167; *decorosum* 622; *rutilans* 624  
 Tricholomopsis 624; *decorosa* 622  
**Trichomonascus** 709, 712, 714, 715; **mycophagus** 710, 712, 713  
 Trichothecium polybrochum 5, 13  
 Trichophyton 200, 371; *gypseum* 717-720, 722; *interdigitale* 718,



- 722; mentagrophytes 717, 722,  
723; purpureum 720-722; ru-  
brum 720  
Tridentaria 19  
Tryblidaria washingtonensis 636,  
686  
Tubaeformis 500  
Tuber californicum 451; candidum  
451; dryophilum 451  
Tubifera ferruginosa 461; **micro-  
sperma** 461; stipitata 461, 462  
Tubulina cylindrica 461  
Tulasnella violacea 106, 108; violea  
106, 108  
Tympanis Frangulae 329  
Typhula 250  
  
Unguicularia scrupulosa 686  
Uredo Celastris 246; Chasaliae 246;  
Digitariaecola 242; Ophiorrhizae  
246  
Urnula 683, 684  
Uromyces 245, 473, 631; Glycyr-  
rhizae 473; Hedysari-obscuri 473;  
plumbarius 473; Solidaginis 473  
Urocystis tritici 162, 163  
  
Velutaria griseo-vitellinum 686;  
rufo-olivacea 687  
Verpa conica 687  
Verticillium albo-atrum 717  
Vibrissea truncorum 687  
  
**Xenolachne** 556-560, 561, 563; **fla-  
gellifera** 561, 562  
Xylaria 326  
Xylographa abietina 687; spilo-  
matica 687  
  
Ypsilospora 421, 422  
  
Zoöpage 379, 380, 384, 386, 392,  
401; atractospora 379, 388; clado-  
sperma 379; mitospora 379; ne-  
matospora 379; **pachyblasta** 385,  
387, 391, 406; phanera 254, 379;  
thamnospora 263, 379, 382, 397;  
**toechospora** 393, 395, 399, 402,  
407, 408; tryphera 379; **virgi-  
spora** 381, 384, 405  
Zukalia 482; balsamicola 487  
Zygorhynchus 127